



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/823,531

03/31/2001

Mingte Chen

M-11528 US

7476

60975

7590

11/30/2006

CSA LLP

4807 SPICEWOOD SPRINGS RD.

BLDG. 4, SUITE 201

AUSTIN, TX 78759

EXAMINER

ZHEN, LI B

ART UNIT

PAPER NUMBER

2194

DATE MAILED: 11/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 09/823,531	Applicant(s) CHEN ET AL.	
	Examiner Li B. Zhen	Art Unit 2194	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 11 September 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-10,13,17-26 and 28-101 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10,13,17-26 and 28-101 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 March 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                                            |                                                                                           |
|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413) .<br>Paper No(s)/Mail Date. _____ |
| 2) <input checked="" type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)            | 5) <input type="checkbox"/> Notice of Informal Patent Application                         |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                  |

### **DETAILED ACTION**

1. Claims 1 – 10, 13 and 17 – 26 and 28 - 101 are presented for examination.

#### ***Continued Examination Under 37 CFR 1.114***

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/11/2006 has been entered.

#### ***Response to Arguments***

3. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

#### ***Claim Rejections - 35 USC § 101***

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 17, 21, 22, 39, 46, 54, 59, 67, 84 and 85 are rejected under 35

U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claims 17, 39 recite a user interface comprising obtaining module, event, notification module, work item object, receiving module, channel driver and accessing

Art Unit: 2194

modules. The user interface, obtaining module, events, notification module, channel driver and accessing modules are software components. The body of the claims does not recite any hardware. Claims 17 and 39 are drawn to software only and not tangibly embodied in a manner so as to be executable. Thus, claims 17 and 39 is directed to non-statutory subject matter.

Claim 59 recite an apparatus comprising a user interface and an accessing module, which are considered to be software only. The body of the claim does not recite any hardware. Therefore, claim 59 is drawn to an apparatus comprised entirely of software and not tangibly embodied in a manner so as to be executable. Thus, claim 59 is directed to non-statutory subject matter.

Claims 17, 21, 22, 39, 46, 54, 59, 67, 84 and 85 are rejected under 35 U.S.C. 101 because they do not produce a useful, concrete and tangible result. The claimed invention as a whole must be useful and accomplish a practical application. That is, it must produce a "useful, concrete and tangible result." State Street, 149 F.3d at 1373-74, 47 USPQ2d at 1601-02. Claims 17, 21, 22, 39, 46, 54, 59, 67, 84 and 85 do not appear to produce a "useful, concrete and tangible result". The result of these independent claims is to access a command table or to identify a channel driver. Accessing a table and/or identification of the channel driver do not provide a tangible result because accessing a table or identification without performing further processing based on the access or identification fails to produce a tangible result. Accessing or identification, absent of subsequent actions based on the identification, can be merely a

Art Unit: 2194

thought and not a tangible or real-world result. Therefore, claims 17, 21, 22, 39, 46, 54, 59, 67, 84 and 85 fails produce a tangible result.

Claims 22, 46 and 54 are not limited to tangible embodiments. In view of Applicant's disclosure, specification page 48, line 17 - p. 49, line 3, the medium is not limited to tangible embodiments, instead being defined as including both tangible embodiments (e.g., CD-ROM discs, ROM cards, floppy discs, magnetic tapes, computer hard drives) and intangible embodiments (e.g., transmission media such as digital and analog communication links). As such, the claim is not limited to statutory subject matter and is therefore non-statutory. To overcome this type of 101 rejection the claims need to be amended to include only the physical computer media and not a transmission media or other intangible or non-functional media.

***Claim Rejections - 35 USC § 102***

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. **Claims 1 – 10, 13, 17 – 22, 24 – 26, 28 – 42, 45 – 64, 66 – 101 are rejected under 35 U.S.C. 102(e) as being anticipated by as being anticipated by U.S. Patent NO. 6,332,154 to Beck et al. [hereinafter Beck, cited in the previous office action].**

8. As to claim 1, Beck teaches a method for communicating comprising:

obtaining an event communicated via an incoming communication channel of a plurality of communication channels [communication events such as e-mail, file transfers and the like, arrive at a routing node 21; col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], at least two communication channels of the communication channels have different media types [e-mail option, chat program; col. 17, lines 40 – 52], and the event corresponds to a work item [Recorded events such as IVR voice requests; col. 11, lines 21 – 33] available via the incoming communication channel [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8];

providing a notification of the work item via a user interface [displays such as call-interrupt alerts, new media notifications, or other instructions required to be communicated to an agent may appear as a pop-up window, or other form of graphic display; col. 58, lines 50 – 60];

receiving an activation of a work item object of the user interface [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many

Art Unit: 2194

clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52], the work item object being associated with the work item [Icons a-d are interactive pointers or links; col. 23, line 61 – col. 24, line 8], wherein the activation of the work item object is associated with selecting one communication channel of the plurality of communication channels for working on the work item [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52 and col. 57, lines 27 – 40];

receiving an activation of a command object of the user interface [selection of interactions; col. 58, lines 27 – 42], wherein the activation of the command object is received from the one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8];

accessing a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] to identify a command associated with the activation of the work item object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a

Art Unit: 2194

scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52];

accessing a command table to identify a channel driver comprising a command associated with the activation of the work item object [Module 445 contains an appropriate driver for each type of offered media as required. In one embodiment, such drivers may also be downloaded to a client's browser through desktop interface module 443; col. 62, line 63 – col. 63, line 5]; and

causing the channel driver to issue the command to an outgoing communication channel of the communication channels [interface command module 341; col. 48, lines 15 – 30].

9. As to claim 13, Beck teaches a method for communicating comprising:

obtaining an event communicated via an incoming communication channel of a plurality of communication channels [communication events such as e-mail, file transfers and the like, arrive at a routing node 21; col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], and at least two of the communication channels have different media types [e-mail option, chat program; col. 17, lines 40 – 52];

providing a notification of the event via the user interface [displays such as call-interrupt alerts, new media notifications, or other instructions required to be



Art Unit: 2194

communicated to an agent may appear as a pop-up window, or other form of graphic display; col. 58, lines 50 – 60];

receiving an activation of a command object of the user interface [interface [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52], wherein the activation of the command object [selection of interactions; col. 58, lines 27 – 42] is received from one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8];

accessing a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] to identify a command associated with the activation of the command object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52];

accessing a command table to identify a channel driver comprising the command [Module 445 contains an appropriate driver for each type of offered media as required.

Art Unit: 2194

In one embodiment, such drivers may also be downloaded to a client's browser through desktop interface module 443; col. 62, line 63 – col. 63, line 5]; and

cause the channel driver to issue the command to an outgoing communication channel of the communication channels [interface command module 341; col. 48, lines 15 – 30].

10. As to claim 17, Beck teaches a user interface [agent's graphical user interface (GUI); col. 38, lines 41 – 52] for communicating comprising:

an obtaining module to obtain an event communicated via an incoming communication channel of a plurality of communication channels [communication events such as e-mail, file transfers and the like, arrive at a routing node 21; col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], at least two of the communication channels have different media types [e-mail option, chat program; col. 17, lines 40 – 52], and the event corresponds to a work item [Recorded events such as IVR voice requests; col. 11, lines 21 – 33];

a notification module to provide a notification of the work item [displays such as call-interrupt alerts, new media notifications, or other instructions required to be communicated to an agent may appear as a pop-up window, or other form of graphic display; col. 58, lines 50 – 60];

a work item object [icons a-d are interactive pointers or links; col. 23, line 61 – col. 24, line 8];

a receiving module to receive an activation of the work item object [Push module 401 is adapted to accept input instruction; col. 57, lines 27 – 40], wherein the activation of the work item object is associated with a command [selection of interactions; col. 58, lines 27 – 42], the activation of the work item object is further associated with selecting one communication channel of the plurality of communication channels for working on the work item [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52 and col. 57, lines 27 – 40],

the activation of the work item object causes a channel driver comprising the command to be identified [Module 445 contains an appropriate driver for each type of offered media as required. In one embodiment, such drivers may also be downloaded to a client's browser through desktop interface module 443; col. 62, line 63 – col. 63, line 5]; and

the channel driver issues the command to an outgoing communication channel of the plurality of communication channels [interface command module 341; col. 48, lines 15 – 30];

a first accessing module to access a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] to identify the command associated with the activation of the work item object [col. 17, lines 40 – 52]; and

Art Unit: 2194

a second accessing module to access a command table to identify the channel driver associated with the command [col. 62, line 63 – col. 63, line 5 and col. 48, lines 15 – 30].

11. As to claim 19, Beck teaches a user interface [col. 38, lines 41 – 52] for communicating comprising:

a notification object to provide a notification of an event [col. 58, lines 50 – 60] communicated via an incoming communication channel of a plurality of communication channels [col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [col. 23, line 61 – col. 24, line 8], and at least two of the communication channels have different media types [col. 17, lines 40 – 52]; and

a command object wherein activation of the command object is associated with a command [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52], the activation of the command object [selection of interactions; col. 58, lines 27 – 42] is received from one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23,

line 61 – col. 24, line 8], and the activation of the command object causes a channel driver comprising the command to be identified [col. 62, line 63 – col. 63, line 5], and the channel driver issues the command to an outgoing communication channel of the communication channels [interface command module 341; col. 48, lines 15 – 30];

a first accessing module to access a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] to identify the command associated with the activation of command object [col. 17, lines 40 – 52]; and

a second accessing module to access a command table to identify the channel driver associated with the command [col. 62, line 63 – col. 63, line 5 and col. 48, lines 15 – 30].

12. As to claim 21, Beck teaches a computer system [col. 7, lines 32 – 40] comprising:

a processor [processor 61; col. 8, lines 21 – 36];

a display [computer screen display; col. 27, lines 32 – 49], coupled to said processor;

computer readable medium coupled to said processor [data storage; col. 45, lines 16 – 35]; and

computer code, encoded in said computer readable medium, configured to cause said processor to communicate using at least one communication channel of a plurality of communication channels [col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [col. 23, line 61 – col. 24, line 8], and

Art Unit: 2194

at least two of the communication channels have different media types [col. 17, lines 40 – 52], by virtue of being configured to cause said processor to:

obtain an event communicated via an incoming communication channel of the communication channels [communication events such as e-mail, file transfers and the like, arrive at a routing node 21; col. 8, lines 1 – 10], wherein the event corresponds to a work item available via the incoming communication channel [Recorded events such as IVR voice requests; col. 11, lines 21 – 33];

provide a notification of the work item via a user interface presented on the display [displays such as call-interrupt alerts, new media notifications, or other instructions required to be communicated to an agent may appear as a pop-up window, or other form of graphic display; col. 58, lines 50 – 60];

receive an activation of a work item object of the user interface [Push module 401 is adapted to accept input instruction; col. 57, lines 27 – 40], the work item object being associated with the work item [selection of interactions; col. 58, lines 27 – 42], wherein

the activation of the work item object is associated with selecting one communication channel of the plurality of communication channels for working on the work item [selection of a media type, the client may initiate a call back in the media selected to a client apparatus compatible with the media selected; col. 5, lines 38 – 53],

the activation of the work item object [Push module 401 is adapted to accept input instruction; col. 57, lines 27 – 40] causes the channel driver comprising a command associated with the activation of the work item object to be identified

Art Unit: 2194

[selection of interactions; col. 58, lines 27 – 42] and the channel driver issues the command associated with the activation of the work item object to an outgoing communication channel of the communication channels [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52 and col. 57, lines 27 – 40];

access a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] to identify the command associated with the activation of the work item object [col. 17, lines 40 – 52]; and

access a command table to identify the channel-driver associated with the command [col. 62, line 63 – col. 63, line 5 and col. 48, lines 15 – 30].

13. As to claim 22, Beck teaches a computer-readable medium comprising:

a database [a CINOS database such as DB 75, FIG. 1; col. 16, line 65 – col. 17, line 15] comprising:

a communication channel table comprising information regarding a communication channel [MIS 189; col. 24, lines 31 – 42];

a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding a user interface object [A customer service section 137 contains interactive options presented to existing clients

Art Unit: 2194

needing service; col. 16, lines 15 - 24] of a user interface [Window 133; col. 16, lines 15 - 24] used to communicate via the communication channel [a diverse interaction path means a non-routine, or less-routine type of communication path; col. 39, lines 45 - 62 and service section 137 contains options for e-mail, chat program, fax program, a self-help wizard, and a voice wizard; col. 17, lines 22 - 40], wherein the information regarding the user interface object comprises a command associated with activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 - 52], wherein the activation of the user interface object [selection of interactions; col. 58, lines 27 - 42] is received from one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 - 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 - col. 24, line 8];

a channel driver table comprising information regarding a channel driver that controls the operation of the communication channel [Module 445 contains an appropriate driver for each type of offered media; col. 62, line 63 - col. 63, line 5] and is operable to provide an event from the communication channel [incoming events are analyzed and processed with regards to queuing, recording, storing, etc. CINOS decides the disposition paths of each event; col. 11, lines 21 - 32] and to issue the



Art Unit: 2194

command to the communication channel [interface command module 341; col. 48, lines 15 – 30];

an event table comprising information regarding the event [incoming events are analyzed and processed with regards to queuing, recording, storing, etc. CINOS decides the disposition paths of each event; col. 11, lines 21 – 32]; and

a command table comprising information regarding the command [interface command module 341; col. 48, lines 15 – 30]; and

instructions to access the communication channel table, the user interface object table [Personalization of widow 133 takes into account client information as stored in CINOS database 75, service-agent media availability and preferences, and perhaps any overriding enterprise rules; col. 17, lines 22- 40], the channel driver table [col. 62, line 63 – col. 63, line 5], the event table [col. 11, lines 21 – 32], and the command table [col. 48, lines 15 – 30] to communicate via the communication channel [col. 17, lines 22- 40].

14. As to claim 39, Beck teaches a user interface [agent's graphical user interface (GUI); col. 38, lines 41 – 52] for communicating comprising:

a user interface object [A series of icons a-d represent the type of media stored for each text block; col. 23, line 61 – col. 24, line 8];

a receiving module to receive an activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar

Art Unit: 2194

featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52], wherein each communication channel of a plurality of communication channels has a media type [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], and at least two communication channels of the communication channels have different media types [e-mail option, chat program; col. 17, lines 40 – 52];

the activation of the user interface object [selection of interactions; col. 58, lines 27 – 42] is received from one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8],

the activation of the user interface object is associated with a command [by selecting the e-mail option, the client's preferred e-mail program may be activated...By selecting chat program, the client may be launched; col. 17, lines 40 – 52],

the activation of the user interface object causes a channel driver associated with the command to be identified [Module 445 contains an appropriate driver for each type of offered media as required. In one embodiment, such drivers may also be downloaded to a client's browser through desktop interface module 443; col. 62, line 63 – col. 63, line 5], and an accessing module to access a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding the user interface object [A customer service section 137 contains interactive

Art Unit: 2194

options presented to existing clients needing service; col. 16, lines 15 - 24], wherein the information regarding the user interface object comprises the command associated with the activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 - 52].

15. As to claim 46, Beck teaches a computer-readable medium comprising a database [a CINOS database such as DB 75, FIG. 1; col. 16, line 65 - col. 17, line 15] comprising:

a user interface object table [service-agent media availability and preferences; col. 17, lines 22 - 40] comprising information regarding a user interface object [A customer service section 137 contains interactive options presented to existing clients needing service; col. 16, lines 15 - 24] of a user interface [Window 133; col. 16, lines 15 - 24] to communicate with a communication channel [a diverse interaction path means a non-routine, or less-routine type of communication path; col. 39, lines 45 - 62 and service section 137 contains options for e-mail, chat program, fax program, a self-help wizard, and a voice wizard; col. 17, lines 22 - 40], wherein the information regarding the user interface object comprises a command associated with activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a

Art Unit: 2194

service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52]; and

the activation of the user interface object [selection of interactions; col. 58, lines 27 – 42] is received from one communication channel of a plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8]; and

instructions to access the user interface object table when the user interface is to display information related to a communication via the communication channel [Personalization of window 133 takes into account client information as stored in CINOS database 75, service-agent media availability and preferences, and perhaps any overriding enterprise rules; col. 17, lines 22- 40].

16. As to claim 54, Beck teaches a database [a CINOS database such as DB 75, FIG. 1; col. 16, line 65 – col. 17, line 15] comprising:

an object table [service-agent media availability and preferences; col. 17, lines 22 – 40], wherein the object table comprises information regarding a user interface object [A customer service section 137 contains interactive options presented to existing clients needing service; col. 16, lines 15 - 24] of a user interface [Window 133; col. 16, lines 15 - 24] used to communicate via a communication channel [a diverse interaction

Art Unit: 2194

path means a non-routine, or less-routine type of communication path; col. 39, lines 45 – 62 and service section 137 contains options for e-mail, chat program, fax program, a self-help wizard, and a voice wizard; col. 17, lines 22 – 40], wherein the information regarding the user interface object comprises a command associated with activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52]; and

the activation of the user interface object [selection of interactions; col. 58, lines 27 – 42] is received from one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8]; and

a communication channel table wherein the communication channel table comprises information regarding the communication channel associated with the user interface object [media support module 445 is provided and adapted to contain required media drivers for executing different types of media presentations offered; col. 62, line 63 – col. 63, line 5] and instructions to access the object table and the communication channel table to communicate via the communication channel [Module 445 contains an appropriate driver for each type of offered media as required. In one embodiment, such

Art Unit: 2194

drivers may also be downloaded to a client's browser through desktop interface module 443; col. 62, line 63 – col. 63, line 5].

17. As to claim 59, Beck teaches an apparatus to communicate comprising:

a user interface [agent's graphical user interface (GUI); col. 38, lines 41 – 52] comprising at least one user interface object [A series of icons a-d represent the type of media stored for each text block; col. 23, line 61 – col. 24, line 8] operable to be activated [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52], wherein activation of one of the at least one user interface object is associated with issuing a command to one communication channel [interface command module 341; col. 48, lines 15 – 30] of a plurality of communication channels [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], the activation of the user interface object [selection of interactions; col. 58, lines 27 – 42] is received from the one communication channel of the plurality of communication channels [Audio recognition and text parsing technology may be included in the capability of module 409, col. 58, lines 27 – 42; and Icons a-d are interactive pointers or links to the actual media interactions that they represent, col. 23, line 61 – col. 24, line 8], each communication channel of the communication channels has a media type [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], at least

Art Unit: 2194

two communication channels of the communication channels have different media types [e-mail option, chat program; col. 17, lines 40 – 52], and the activation causes a channel driver comprising the command to be identified [col. 62, line 63 – col. 63, line 5]; and

an accessing module to access a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding the user interface object [A customer service section 137 contains interactive options presented to existing clients needing service; col. 16, lines 15 - 24], wherein the information regarding the user interface object comprises a respective command associated with the activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52].

18. As to claim 67, Beck teaches an apparatus for communicating comprising:

obtaining means for obtaining an event communicated via an incoming communication channel of a plurality of communication channels [communication events such as e-mail, file transfers and the like, arrive at a routing node 21; col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [series of icons a-d represent the type of media; col. 23, line 61 – col. 24, line 8], at least two communication channels of the communication channels have different media types [e-mail option, chat program; col. 17, lines 40 – 52], and

the event corresponds to a work item [Recorded events such as IVR voice requests; col. 11, lines 21 – 33] available via the incoming communication channel [col. 23, line 61 – col. 24, line 8];

notifying means for providing a notification of the work item via a user interface [col. 58, lines 50 – 60];

receiving means for receiving an activation of a work item object of the user interface [col. 17, lines 40 – 52], the work item object being associated with the work item [col. 23, line 61 – col. 24, line 8], wherein

the activation of the work item object is associated with selecting one communication channel of the plurality of communication channels for working on the work item [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52 and col. 57, lines 27 – 40],

the activation of the work item object [selection of interactions; col. 58, lines 27 – 42] causes a channel driver comprising a command associated with the activation of the work item object to be identified [col. 62, line 63 – col. 63, line 5], and

the channel driver issues the command associated with the activation of the work item object [col. 17, lines 40 – 52] to an outgoing communication channel of the communication channels [interface command module 341; col. 48, lines 15 – 30]; and



accessing means for accessing a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding the work item object [col. 17, lines 40 – 52], wherein the information regarding the work item object comprises the command associated with the activation of the work item object [col. 62, line 63 – col. 63, line 5 and col. 48, lines 15 – 30].

19. As to claim 84, Beck teaches an apparatus comprising:

obtaining means for obtaining an event communicated via an incoming communication channel of a plurality of communication channels [col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [col. 23, line 61 – col. 24, line 8], and at least two of the communication channels have different media types [col. 17, lines 40 – 52];

notifying means for providing a notification of the event via the user interface [col. 58, lines 50 – 60];

receiving means for receiving an activation of a command object of the user interface [col. 17, lines 40 – 52], the command object being associated with a command related to the event [col. 58, lines 27 – 42], wherein the activation of the command object is received from one communication channel of the plurality of communication channels [col. 23, line 61 – col. 24, line 8],

the receiving the activation causes a channel driver comprising the command to be identified [col. 62, line 63 – col. 63, line 5], and

the channel driver issues the command to an outgoing communication channel of the communication channels [col. 48, lines 15 – 30]; and

accessing means for accessing a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding the command object [col. 17, lines 40 – 52], wherein

the information regarding the command object comprises the command associated with the activation of the command object [col. 62, line 63 – col. 63, line 5 and col. 48, lines 15 – 30].

20. As to claim 85, Beck teaches a computer program product comprising:

obtaining instructions to obtain an event communicated via an incoming communication channel of a plurality of communication channels [col. 8, lines 1 – 10], wherein each communication channel of the communication channels has a media type [col. 23, line 61 – col. 24, line 8], at least two communication channels of the communication channels have different media types [col. 17, lines 40 – 52], and

the event corresponds to a work item available via the incoming communication channel [col. 11, lines 21 – 33];

notifying instructions to provide a notification of the work item via a user interface [col. 58, lines 50 – 60];

receiving instructions to receive an activation of a work item object of the user interface [col. 17, lines 40 – 52], the work item object being associated with the work item [col. 58, lines 27 – 42], wherein the activation of the work item object is associated

Art Unit: 2194

with selecting one communication channel of the plurality of communication channels [col. 23, line 61 – col. 24, line 8] for working on the work item [col. 5, lines 38 – 53], the activation of the work item object causes a channel driver comprising a command associated with the activation to be identified [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52], and the channel driver issues the command associated with the activation of the work item object to an outgoing communication channel of the communication channels [col. 48, lines 15 – 30]; and

accessing instructions to access a user interface object table comprising information regarding the work item object [service-agent media availability and preferences; col. 17, lines 22 – 40], wherein the information regarding the work item object comprises the command associated with the activation of the work item object [col. 17, lines 40 – 52]; and

a computer-readable medium that stores the obtaining instructions, the notifying instructions, the receiving instructions, and the accessing instructions [data storage; col. 45, lines 16 – 35].

21. As to claim 2, Beck teaches the incoming communication channel and the outgoing communication channel are the same [selection of a media type, the client

Art Unit: 2194

may initiate a call back in the media selected to a client apparatus compatible with the media selected; col. 5, lines 38 – 53].

22. As to claim 3, Beck teaches performing the command by the outgoing communication channel [col. 48, lines 15 – 30].

23. As to claim 4, Beck teaches providing the notification in real time with the obtaining the event [in real time as the interaction takes place; col. 25, line 27 – 34].

24. As to claim 5, Beck teaches invoking a notification module of the user interface [notification interface module 317; col. 43, lines 22 – 35].

25. As to claim 6, Beck teaches the activation of the work item object is associated with an accept work item command [Push module 401 is adapted to accept input instruction; col. 57, lines 27 – 40].

26. As to claim 7, Beck teaches the activation of the work item object is associated with a release work item command [Push module 401 is adapted to accept input instruction; col. 57, lines 27 – 40].

27. As to claim 8, Beck teaches sending the command to the command channel driver [col. 48, lines 15 – 30].

28. As to claim 9, Beck teaches obtaining the command from the user interface by a communication server [servers MIS 79 and Server 77; col. 54, lines 31 – 50], wherein the communication server sends the command to the channel driver [In step 281 commands are sent to the IOM; col. 33, lines 23 – 40].

29. As to claim 10, Beck teaches sending the command to the channel driver for the incoming communication channel [interface command module 341; col. 48, lines 15 – 30] if the incoming communication channel and the outgoing communication channel are the same [selection of a media type, the client may initiate a call back in the media selected to a client apparatus compatible with the media selected; col. 5, lines 38 – 53].

30. As to claim 18, this is rejected for the same reasons as claim 2 above.

31. As to claim 20, this is rejected for the same reasons as claim 2 above.

32. As to claim 24, Beck teaches the event table provides access to an event ID of the event [identifier is assigned to an entity and to all the communication events; col. 24, lines 8 – 18]; an event name of the event [text version of the event; col. 10, lines 36 – 50]; and a channel driver ID of the channel driver [col. 41, lines 30 – 47].

Art Unit: 2194

33. As to claim 25, Beck teaches the command table provides access to: a command ID of the command [input parameters; col. 51, lines 12 – 29]; a command name of the command [col. 47, lines 3 – 24]; and a channel driver ID of the channel driver [col. 41, lines 30 – 47].

34. As to claim 26, Beck teaches the channel driver table comprises: a channel driver ID of the channel driver [col. 41, lines 30 – 47]; a media type of the communication channel [media support module 445 is provided and adapted to contain required media drivers for executing different types of media presentations offered; col. 62, line 63 – col. 63, line 5]; a file name of the channel driver and a media string that allows a media service associated with the channel driver to be invoked [Module 445 contains an appropriate driver for each type of offered media as required. In one embodiment, such drivers may also be downloaded to a client's browser through desktop interface module 443; col. 62, line 63 – col. 63, line 5].

35. As to claim 28, Beck teaches the activation of the work item object is associated with selecting from a list of a plurality of work item [agent to subscribe to workload queues; col. 56, lines 1 – 20 and col. 57, lines 22 – 28].

36. As to claim 29, Beck teaches the activation of the work item object is associated with one of a suspend work item command [Interrupt module 407; col. 58, lines 5 – 20]

Art Unit: 2194

and a retrieve work item command [retrieved by agents after receiving notification; col. 11, lines 21 – 33].

37. As to claim 30, Beck teaches the activation of the work item object is associated with an initiate work item command [col. 11, lines 21 – 33].

38. As to claim 31, Beck teaches the activation of the work item object is associated with one of a blind transfer of work item command [file share; col. 8, lines 1 – 10], a consultative transfer of work item command [file transfers; col. 8, lines 1 – 10], and a conference command [multi-agent conference; col. 39, lines 45 – 62].

39. As to claim 32, Beck teaches the user interface comprises a plurality of user interfaces [col. 38, lines 41 – 52], wherein each user interface of the user interfaces is associated with an agent of a plurality of agents [pool of agents services; col. 12, lines 37 – 55]; and further comprising: determining one agent of the agents to be notified of the event [agent to subscribe to workload queues; col. 56, lines 1 – 20 and col. 57, lines 22 – 28], wherein the providing the notification comprises providing the notification to the one agent via the user interface associated with the one agent [notification interface module 317; col. 43, lines 22 – 35].

Art Unit: 2194

40. As to claim 33, Beck teaches determining the command to be issued from a context of the work item object when the work item object is activated [Workflow layer 85 comprises 3 basic function categories; col. 13, lines 10 – 22].

41. As to claim 34, Beck teaches a causing module to cause the command to be issued to the outgoing communication channel [col. 48, lines 15 – 30].

42. As to claim 35, Beck teaches an assignment module to determine an assignment of an agent to the work item [col. 52, lines 8 – 27].

43. As to claim 36, Beck teaches a channel driver table comprising information about a plurality of channel drivers [Module 445 contains an appropriate driver for each type of offered media; col. 62, line 63 – col. 63, line 5].

44. As to claim 37, Beck teaches a communication channel table comprising information regarding a plurality of communication channels [MIS 189; col. 24, lines 31 – 42].

45. As to claim 38, Beck teaches a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding a user interface object [A customer service section 137 contains interactive options presented to existing clients needing service; col. 16, lines 15 - 24] of a user interface



Art Unit: 2194

[Window 133; col. 16, lines 15 - 24] that is operable to communicate with the communication channel [a diverse interaction path means a non-routine, or less-routine type of communication path; col. 39, lines 45 – 62 and service section 137 contains options for e-mail, chat program, fax program, a self-help wizard, and a voice wizard; col. 17, lines 22 – 40].

46. As to claim 40, Beck teaches an event handling module to handle an event from an incoming communication channel of the communication channels [event handler adapted to identify and organize such dialogs so that they may be associated along the proper thread or threads; col. 40, lines 10 – 21].

47. As to claim 41, Beck teaches a notifying module to provide a notification of the event [notification interface module 317; col. 43, lines 22 – 35].

48. As to claim 42, Beck teaches a responding module to perform an event response to the event [incoming events are analyzed and processed with regards to queuing, recording, storing, etc. CINOS decides the disposition paths of each event; col. 11, lines 21 – 32].

49. As to claim 45, Beck teaches an assigning module to assign an agent to receive a notification of an event [interaction-sorter module prepares a list for each assigned

Art Unit: 2194

agent; col. 52, lines 8 – 27]; and a notifying module to provide the notification to the agent [notification interface module 317; col. 43, lines 22 – 35].

50. As to claim 47, Beck teaches a communication channel table comprising information regarding the communication channel [MIS 189; col. 24, lines 31 – 42].

51. As to claim 48, Beck teaches the communication channel table comprises information about a plurality of communication channels [MIS 189; col. 24, lines 31 – 42].

52. As to claim 49, Beck teaches a channel driver table comprising information about a plurality of channel drivers, wherein each channel driver of the channel drivers controls the operation of one communication channel of the communication channels [Module 445 contains an appropriate driver for each type of offered media; col. 62, line 63 – col. 63, line 5].

53. As to claim 50, Beck teaches a channel driver table comprising information about a channel driver that controls the operation of the communication channel [Module 445 contains an appropriate driver for each type of offered media; col. 62, line 63 – col. 63, line 5].

Art Unit: 2194

54. As to claim 51, Beck teaches a command table comprising information regarding a command sent to the communication channel [interface command module 341; col. 48, lines 15 – 30].

55. As to claim 52, Beck teaches an event table comprising information regarding an event originating in response to a communication received from the communication channel [incoming events are analyzed and processed with regards to queuing, recording, storing, etc. CINOS decides the disposition paths of each event; col. 11, lines 21 – 32].

56. As to claim 53, Beck teaches an event response table comprising information regarding an event response to be performed in response to the event [routing and routing notification events, any media may be routed to an appropriate agent based on skill, or any other rule-based routing method; col. 11, lines 32 – 39].

57. As to claim 55, Beck teaches the object table [Personalization of widow 133 takes into account client information as stored in CINOS database 75, service-agent media availability and preferences, and perhaps any overriding enterprise rules; col. 17, lines 22- 40] further comprises information regarding an action to be performed when the user interface object is activated [col. 17, lines 40 – 52].

Art Unit: 2194

58. As to claim 56, Beck teaches the action comprises issuing a command to the communication channel [interface command module 341; col. 48, lines 15 – 30].

59. As to claim 58, Beck teaches the object table further comprises a notification object [notification interface module 317; col. 43, lines 22 – 35].

60. As to claim 60, Beck teaches the user interface is operable to communicate with a communication server [servers MIS 79 and Server 77; col. 54, lines 31 – 50], and wherein the communication server causes the command to be issued to the one communication channel [In step 281 commands are sent to the IOM; col. 33, lines 23 – 40].

61. As to claim 61, Beck teaches the communication server further receives an indication of activation of the user interface object [Activation in this sense is defined as activation to receive from or communicate with a specific requesting system; col. 33, lines 15 – 25].

62. As to claim 62, Beck teaches a channel driver is communicatively coupled to the one communication channel to issue the command [interface command module 341; col. 48, lines 15 – 30].

Art Unit: 2194

63. As to claim 63, Beck teaches the channel driver is one of a plurality of channel drivers, wherein each channel driver of the channel drivers is associated with an associated communication channel of the plurality of communication channels [Module 445 contains an appropriate driver for each type of offered media; col. 62, line 63 – col. 63, line 5].

64. As to claim 64, Beck teaches a database comprising a command table regarding a command [col. 48, lines 15 – 30] and a user interface object table [service-agent media availability and preferences; col. 17, lines 22 – 40] comprising information regarding the user interface object [A customer service section 137 contains interactive options presented to existing clients needing service; col. 16, lines 15 - 24] and the command to be issued upon activation of the user interface object [by selecting the e-mail option, the client's preferred e-mail program may be activated for the purpose of sending a message to or soliciting a reply from a service agent. By selecting chat program, the client may be launched into a scheduled service seminar featuring many clients interacting with a service expert regarding a certain subject; col. 17, lines 40 – 52].

65. As to claim 66, Beck teaches the command table [col. 48, lines 15 – 30] and the user interface object table [col. 17, lines 22 – 40] are accessed to cause the channel driver to issue the command [col. 48, lines 15 – 30].

Art Unit: 2194

66. As to claims 68 – 76, these are apparatus claims that correspond to method claims 2 – 10; note the rejections to method claims 2 – 10 above, which also meet these apparatus claims.

67. As to claim 77, Beck teaches the activation of the work item object is associated with selecting one communication channel of the plurality of communication channels for working on the work item [col. 17, lines 40 – 52 and col. 57, lines 27 – 40].

68. As to claims 78 – 83, these are apparatus claims that correspond to method claims 28 – 33; note the rejections to method claims 28 – 33 above, which also meet these apparatus claims.

69. As to claims 86 – 94, these are product claims that correspond to method claims 2 – 10; note the rejections to claims 2 – 10 above, which also meet these product claims.

70. As to claim 95, Beck teaches the activation of the command object is associated with selecting one communication channel of the plurality of communication channels for working on a work item [col. 17, lines 40 – 52 and col. 57, lines 27 – 40].

71. As to claims 96 – 101, these are rejected for the same reasons as claims 28 – 33 above.

***Claim Rejections - 35 USC § 103***

72. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**73. Claims 23, 43, 44, 57 and 65 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beck in view of U.S. Patent No. 6,587,556 to Judkins et al. [hereinafter Judkins].**

74. As to claim 23, Beck teaches the communication channel table provides access to: a channel ID of the communication channel [parameters which may include phone numbers e-mail addresses, IP addresses; col. 41, lines 30 – 47]; media type of the communication channel [media type; col. 9, line 58 – col. 10, line 10], but does not teach a configuration ID of a configuration to which the communication channel belongs.

However, Judkins teaches a method of configuring the scripting of a call center including an interactive voice response server and automatic call distributor server [col. 2, lines 20 – 39], a plurality of communication channels [actions such as e-mail, pager, etc.; col. 40, lines 25 – 67], and a configuration ID of a configuration to which the communication channel belongs [col. 25, lines 17 – 33].

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Beck to include the features of a

Art Unit: 2194

configuration ID of a configuration to which the communication channel belongs because this allows the user to control and configure all aspects of the call center system and monitor server activity [col. 14, lines 5 – 14 of Judkins] and provides a user the ability to configure the system setup and parameters and monitor system performance [col. 14, lines 14 – 25 of Judkins].

75. As to claim 43, Beck does not teaches a status object, a status updating module to update a status of an agent using the user interface to one of ready and not ready when the status object is activated.

However, Judkins teaches Judkins teaches a method of configuring the scripting of a call center including an interactive voice response server and automatic call distributor server [col. 2, lines 20 – 39], a plurality of communication channels [actions such as e-mail, pager, etc.; col. 40, lines 25 – 67], a status object [All agents are listed alphabetically on this screen along with their status; col. 21, line 65 – col. 66, line 13], and a status updating module to update a status of an agent using the user interface to one of ready and not ready when the status object is activated [an agent is no longer in use, the user can highlight the agent and click the Disable This Agent button 462 (FIG. 38) such that an agent can be disabled; col. 22, lines 51 – 60].

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Beck to include the features of a status object and a status updating module to update a status of an agent because this allows work to be routed to the longest available agent [col. 13, lines 19 – 29 of Judkins] and



Art Unit: 2194

provides requests to be rerouted to a site with available agents [col. 13, lines 52 – 64 of Judkins].

76. As to claim 44, Beck as modified by Judkins teaches a status changing module to change a status of an agent using the user interface to one of ready and not ready [an agent is no longer in use, the user can highlight the agent and click the Disable This Agent button 462 (FIG. 38) such that an agent can be disabled; col. 22, lines 51 – 60 of Judkins]. As to the motivation for combining Beck and Judkins, see the rejection to claim 43 above.

77. As to claim 57, Beck as modified by Judkins teaches the action comprises setting an agent status to one of ready and not ready [an agent is no longer in use, the user can highlight the agent and click the Disable This Agent button 462 (FIG. 38) such that an agent can be disabled; col. 22, lines 51 – 60 of Judkins]. As to the motivation for combining Beck and Judkins, see the rejection to claim 43 above.

78. As to claim 65, Beck as modified by Judkins teaches a configuration table comprising information regarding a configuration for a user of the user interface [logical devices table (FIG. 7) defines logical names for devices configured in the system device table; col. 10, lines 30 – 40 of Judkins], wherein the configuration determines whether the command is available to the user [col. 14, lines 25 – 38 of Judkins].

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the invention of Beck to include the features of a configuration table comprising information regarding a configuration for a user of the user interface because this allows the user to control and configure all aspects of the call center system and monitor server activity [col. 14, lines 5 – 14 of Judkins] and provides a user the ability to configure the system setup and parameters and monitor system performance [col. 14, lines 14 – 25 of Judkins].

### ***Conclusion***

79. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,718,370 to Coffman et al. discloses a host system with multiple queues to send and receive work messages.

### **CONTACT INFORMATION**

80. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Li B. Zhen whose telephone number is (571) 272-3768. The examiner can normally be reached on Mon - Fri, 8:30am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Thomson can be reached on 571-272-3718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2194

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Li B. Zhen  
Examiner  
Art Unit 2194

LBZ

A handwritten signature in black ink, appearing to be 'Li B. Zhen', located below the printed name and title.